

All products shown are in compliance with the appropriate European regulations.

Warning: All warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi® as a result. Only tools bought in the European Union (incl. Switzerland) are covered by an European

Ryobi® reserves the right to revise product specifications at any time without notice.




We continue to offer a 2 year warranty on all our products*

*Excluding spares and accessories.

At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their garden tools.



Every Ryobi® garden tool is a culmination of outstanding performance coupled with value and proven reliability making Ryobi® the number one choice for home-users.



New for 2011

As one of the largest and most innovative manufacturers of power and garden tools in the world, Ryobi® are dedicated to delivering outstanding performance and reliability.

Lithium-Ion 36V Range

Our new 36V Lithium-Ion range offers petrol performance and run time but with up to 97% less vibration and noise and best of all there are no emissions during use.

Being battery powered means no more mixing petrol and 2 stroke oil and storing messy cans of petrol, and without the cost of fuel, it's actually up to 50 times cheaper to run than equivalent petrol units.

To find out more view the range on pages 8–10.

One Plus™ 18V Range

The One Plus™ system is a unique 18V tool range in which one battery and charger can be used with up to 30 power and garden tools.

All the power of 18V with the cost saving of only having to buy the battery and chargers you need. Simply buy a starter kit, or an individual tool, battery and charger.

Then use the same battery to power any tool from the extensive range, removing the added expense of buying batteries and chargers with every tool purchase; saving you money. That's why it's the clever way to buy tools.

For more information see pages 12-15.





Lawnmower

Meet the new family of mowers. Whether it's petrol performance, from a Subaru® engine or cordless convenience from a 36V Lithium-lon battery, Ryobi® has a mower to suit you.

In our cordless range there is a 48V lawnmower and a 36V Lithium-Ion lawnmower, offering the performance and freedom of petrol but with the convenience and emissions-free running of cordless.

To find out more regarding our petrol mowers see page 32-33 or for information on our cordless mowers see pages 10-11.



TEK4™


TEK4™ cordless tools provide maximum performance durability and run time. Each TEK4™ tool is powered by a 4V reusable Lithium-Ion battery and is designed for ultimate performance and ease of use. Ergonomic and light weight, TEK4™ tools handle the toughest garden pruning and trimming tasks with fade free power, and over 2.000 recharges. The TEK4™ battery is interchangeable with all TEK4™ products including power tools.

See more about the range on pages 16–17.






Cordless Garden Tools







Cordless Freedom, No Petrol, No Cable, No Hassle

- 01 Petrol performance and run time with 97% less vibration and noise, with no emissions during use.
- 02 Products are up to 50 times cheaper to run a season than equivalent petrol products.
- 03 Hassle free, no mixing of petrol and 2 stroke oil or storing messy petrol cans, just plug in the battery and go.



RHT36

NEW

36V Lithium-Ion Hedge Trimmer

Features

- 1 powerful 36V (2,6Ah) Lithium-Ion battery and charger
- Up to 90 minutes run time
- · Anti-slip teeth grip each branch during cutting for a cleaner cut and more efficient trimming
- · Laser cut diamond ground blades are precision cut and ultra sharp for cleaner cutting results
- HedgeSweep[™] blade easily removes clippings during cutting
- Metal blade protector prevents damage when cutting against surfaces
- Heavy Duty Block Release[™] gear box retracts the blade if it gets stuck on a hard branch
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 36V (2,6Ah) Lithium-Ion battery, Blade sheath, HedgeSweep™, Charger

Specification

ower input:	36V battery
Cutting capacity	y: 20mm
Blade length:	550mm
Stroke rate:	3.000spm
Charge rate:	
60%	60 minutes
00%	100 minutes
Veight:	4 2kn



Art.-No.: 5133000725 EAN Code: 4892210811813

RLT36

NEW

36V Lithium-Ion Line Trimmer

Features

- 1 powerful 36V (2,6Ah) Lithium-Ion battery and charger
- Up to 60 minutes run time
- Rear mount battery for better balance and weight distribution
- · Variable speed trigger extends run time and allows for trimming against delicate surfaces
- · Ergonomic front handle helps reduce vibration and improves comfort
- Angled boom for improved balance
- · Metal plant protector protects flowers and delicate surfaces
- · Auto-feed line conveniently maintains optimal cutting length
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 36V (2,6Ah) Lithium-Ion battery, auto-feed line, Charger

Specification

36V battery Power input: Cutting diameter: 28-33cm

speed: 9.000-10.000rpm Line feed system: Auto-feed 1,5mm twisted Line type: Charge rate:

60% 60 minutes 100% 100 minutes Weight 4,1kg



Art.-No.: 5133000683 EAN Code: 4892210811790

RCS36

NEW

36V Lithium-Ion Chainsaw

- 1 powerful 36V (2,6Ah) Lithium-Ion battery and charger
- Up to 100 cuts through 4" (10cm) logs
- Top mount battery for better balance and weight distribution
- · Chain speed optimized for highest torque to virtually eliminate motor stalls during heavy cutting loads
- Wrap around handle for improved comfort during use
- · Auto oiler automatically lubricates bar and chain to prolong tool life
- Toolless chain tensioner quickly and easily adjusts chain tension for best performance
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 36V (2,6Ah) Lithium-Ion battery, Bar & chain oil, Scabbard, Charger

Specification

Power input:	36V battery
Torque:	4,4Nm
Chain/Bar lengt	th: 30cm
Chain speed:	3,7m/s
Toolless	
chain tensioner	r: Yes
Oil tank capacit	ty: 110ml
Charge rate:	
60%	60 minutes
100%	100 minutes
Weight:	4,4kg

5133000677 Art.-No.: EAN Code: 4892210811776





RBL36B

36V Lithium-Ion Blower

Features

- Accepts 36V Lithium-Ion batterie (sold separately)
- . Over 30 minutes of run time at full speed
- Top mount battery gives better balance and weight distribution
- Full variable speed trigger reduces noise, improves run time and gives the user more control
- Removeable high speed nozzle gives the option for high speed for wet leaves and debris or high air volume for dry, loose matter
- GripZone™ overmould technology for improved comfort with a positive grip

Included as standard

High speed nozzle

Specification

Power input:

Airspeed:

Switch:

Weight:

36V battery

3,1kg

up to 250km/h

Variable Speed

NEW

NEW

Art.-No.: 5133000676 EAN Code: 4892210811769

THE REAL PROPERTY OF THE PARTY OF THE PARTY

RLM3640LI

36V Lithium-Ion Lawnmower

Features

- Cuts up to 400m² on a single charge
- Convenient single point height adjust lever for 5 lengths of grass cutting
- 40cm deck for large cutting width
- Bumpers to protect the mower when cutting close to hard surfaces
- Quick release folding handles for easy storage
- Large 50 litre capacity collection bag, also collapses for easy storage
- 2-in-1 operation: bagging and mulching
- Safety key for accidental start prevention

Included as standard

1 x 36V (2,6Ah) Lithium-Ion battery, 1 x mulching plug, Charger

Specification

Power input:	36V	battery
Deck size /		
cutting diamet	er:	40cm
Blade speed:	3.5	00rpm
Drive mechanis	sm:	Push
Mulching capal	ble:	Yes
Charge rate:		
60%	60 r	ninutes
100%	100 r	ninutes
Weight:		18,0kg

Art.-No.: 5133000679 EAN Code: 4892210812667



FOR FULL RANGE OF ACCESSORIES PLEASE SEE PAGE 18-21





The Power of Petrol with Cordless Simplicity

- 01 Easily accessible 48V battery gives longer run time, whist running costs remain low.
- 02 52cm cutting deck with 3-in-1 bagging, mulching and side eject.
- 03 Cuts up to 2.000m² on one battery charge.



RLM4852L

48V Cordless Lawnmower

- Cuts up to 2.000m² with with up to 90 minutes run time per charge
- · Convenient single point height adjust lever for 7 lengths of grass cutting
- Easy access to the battery
- 52cm deck for increased cutting width
- . Bumpers to protect the mower when cutting close to hard surfaces
- 3-in-1 operation: bagging, mulching and side eject
- · Safety key for accidental start prevention

Included as standard

1 x 48V Lead acid battery, Mulching plug, Side eject kit

Specification

Power input:	48V battery
Deck size /	
cutting diame	ter: 52cm
Motor speed:	3.000rpm
Drive	
mechanism:	Self-propelled
Mulching cap	able: Yes
Weight:	43,1kg

5133000681 Art.-No.: EAN Code: 4892210812681





18V One Plus™ Range



The Ryobi® One Plus™ System is a unique tool range in which one battery and charger can be used with up to 25 power tools and 5 garden tools.

So you can have as many tools as you need, but you only have to pay for the batteries & chargers once!



HOW DO I START?

Buy a starter kit including tool, battery and charger.

THE CLEVER WAY TO BUY CORDLESS GARDEN TOOLS

Next tool purchase; no need to buy another battery and charger. Save money!

Choose any tool and buy the battery and charger separately.

RLT1830LI



18V One Plus™ Line Trimmer Starter Kit with Compact Lithium-Ion Battery

Features

- 1 powerful 18V (1,4Ah) Lithium-Ion Compact One Plus™ battery and Super Charger
- Up to 25 minutes run time
- · Extendable shaft to suit your style of working
- · Lock-out safety switch
- Fully adjustable 'D' handle
- · Rotatable head for edging
- Pivoting head for trimming under hedges & decks, and on slopes
- Auto-feed line advances when you release the trigger and decelerate
- Metal plant protector protects flowers and delicate surfaces
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1,4Ah) Compact Lithium-Ion battery, Super Charger

Specification

Weight:

Power input: No load speed: 8.000rpm Line feed system: Auto Feed Cutting path width: 300mm Cutting line 1,6mm diameter: Charge rate: 100% 45 minutes

3,2kg



5133000733 Art.-No.: EAN Code: 4892210812575

OLT1831

NEW

18V One Plus™ Line Trimmer

Features

- Up to 25 minutes run time (battery and charger sold separately)
- · Extendable shaft to suit your style of working
- · Lock-out safety switch
- Fully adjustable 'D' handle
- · Rotatable head for edging
- · Pivoting head for trimming under hedges & decks, and on slopes
- Auto-feed line advances when you release the trigger and decelerate
- Metal plant protector protects flowers and delicate surfaces
- GripZone™ overmould technology for improved comfort with a positive grip

Specification

Power input: 18V battery No load speed: 8.000rpm Line feed system: Auto Feed Cutting path width: 300mm Cutting line 1,6mm diameter: Charge rate: 100% 45 minutes Weight: 2,3kg



Art.-No.: 5133000728 EAN Code: 4892210812896



RHT1850LI

18V One Plus™ Hedge Trimmer Starter Kit with Compact Lithium-Ion Battery

Features

- 1 powerful 18V (1,4Ah) Lithium-Ion Compact One Plus[™] battery and Super Charger
- . Up to 35 minutes run time
- 500mm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep[™] compatible blade bar (sold separately)
- Large 16mm cutting capacity
- Large front handle for comfortable cutting
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1,4Ah) Compact Lithium-Ion battery, Blade sheath, Super Charger

Specification

Power input:	18V battery
Cutting capacity	: 16mm
Stroke rate:	2.400spm
Blade length:	500mm
Charge rate:	
100%	45 minutes
Weight:	2 7kg



5133000735 Art.-No.: EAN Code: 4892210812582

OHT1851

NEW

18V One Plus™ Hedge Trimmer

Features

- Up to 35 minutes run time (battery and charger sold separately)
- 500mm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep[™] compatible blade bar (sold separately)
- Large 16mm cutting capacity
- Large front handle for comfortable cutting
- \bullet GripZone $^{\scriptscriptstyle\mathsf{TM}}$ overmould technology for improved comfort with a positive grip

Included as standard

Blade sheath

Specification

Power input:	18V battery
Cutting capacity:	16mm
Stroke rate:	2.400spm
Blade length:	500mm
Veight:	2,2kg



Art.-No.: 5133000729 EAN Code: 4892210812902



OBL1802

18V One Plus™ Blower

Features

- Accepts 18V One Plus™ NiCad or Lithium-Ion batteries (sold separately)
- Powerful but quiet blower / sweeper
- 120mph (193km/h) airflow speed
- · Light weight for easy operation
- · Ergonomic flick switch
- · High speed nozzle design with debris scrapper
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x nozzle

Specification

NEW

NEW

Power input:	18V battery
Air flow speed:	120mph
	(193km/h)
Weight:	1,6kg



Art.-No.: 5133000731 EAN Code: 4892210812605

OPS1821

18V One Plus™ Pruner

Features

- Accepts 18V One Plus™ NiCad or Lithium-Ion batteries (sold separately)
- Shaft extends 40cm for hard to reach branches up to 3.5 meters high
- Toolless blade clamp for quick and easy blade changes
- · Lock-out safety switch
- Integrated branch hook to pull branches to the ground
- Fully adjustable 'D' handle
- · Takes standard reciprocating saw blades
- 22mm stroke length
- 3.000spm no load speed
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Blade

Specification

Power input:	18V battery
No load speed:	3.000spm
Max cutting cap	acity:
(wood)	102mm
Stroke length:	22mm
Neight:	2,7kg

5133000730 Art.-No.: EAN Code: 4892210812612

OGS1821

18V One Plus™ Shear & Shrubber

Features

- Accepts 18V One Plus™ NiCad or Lithium-Ion batteries (sold separately)
- · Light weight for easy operation
- · Sealed maintenance free blade gears
- Toolless blades for quick changes
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x grass cutting blade, 1 x shrubbing blade

Specification

NEW

Power input:	18V battery
Cutting capacity	: 8mm
Shrubber blade:	200mm
Shear blade:	100mm
Weight without b	olade: 1,4kg





Includes shrubbing blade



5133000732 EAN Code: 4892210812568





TEK4™ cordless electronic tools provide maximum performance, durability and run time.

Each TEK4™ tool is powered by a 4V reusable Lithium-Ion battery, and is designed for ultimate performance and ease of use. The TEK4™ battery is interchangeable with all TEK4™ products.

TEK4™ Lithium-Ion batteries have longer run times, fade free power, over 2.000 recharges, and a single charge performance up to the equivalent of 3 AA alkalines.



RGS410

TEK4™ Lithium-Ion Shear Shrubber

Features

- 4V Lithium-Ion battery gives up to 55 minutes of run time on one battery charge
- Precision ground blades provide cleaner cutting results
- Toolless blade clamp allows you to quickly and easily change blades
- . Trigger lock out prevents accidental starting

Included as standard

1 x 4V Lithium-Ion battery, Charger

Specification

Power input:	4V
Cutting capacity:	8mm
Shrubber blade:	120mm
Shear blade:	80mm
Charge rate:	
100% 210–270) minutes
Pole Attachment	
Compatible:	Yes
Weight with shrubb	er
attachment:	0,6kg
Weight with grass s	shear
attachment:	0,5kg





Art.-No.: 5133000678 EAN Code: 4892210812506

RLP416

TEK4™ Lithium-Ion Lopper

Features

- 4V Lithium-Ion battery gives up to 500 9mm cuts on one battery charge
- Precision ground blade provide cleaner cutting results
- 30° Angled handle for optimium user comfort
- Trigger lock out prevents accidental starting

Included as standard

1 x 4V Lithium-Ion battery, Charger

Specification

NEW

Power inp	out:	4V
Cut capac		
Soft w		16mm
Hard w	/ood	10mm
Pole Attac	hment	
Compatib	le:	Yes
Charge ra	te:	
100%	210-270) minutes
Weight:		0,7kg





5133000682 Art.-No.: EAN Code: 4892210812490



BATTERY & CHARGER OPTIONS

36V BATTERIES



Specification

Description

System

Battery Chemistry

Specification

Battery Chemistry

Description

System

BPL3626

1 x 36V (2,6Ah) Lithium-lon Battery Art.-No.: 5133000709 EAN Code: 4892210812483





18V LITHIUM-ION COMPACT BATTERIES & CHARGER KITS



BPL18151

1 x 18V (1,4Ah) Lithium-Ion Battery 5132000047 EAN Code: 4892210106513





BPL18152

2 x 18V (1,4Ah) Lithium-Ion Batteries





BLK18151

1 x 18V (1,4Ah) Lithium-Ion Battery & Super Charger Art.-No.: 5132000044 EAN Code: 4892210106544





BLK181512

2 x 18V (1,4Ah) Lithium-Ion Batteries & Super Charger 5133000215 EAN Code: 4892210106551





4V TEK4™ **BATTERIES**



Description

System

Battery Chemistry



AP4001

1 x 4V (1,5Ah) Lithium-Ion Battery 5132000147 Art.-No.: EAN Code: 4892210110718

RYOBITE 4





18V NICAD COMPACT BATTERIES & CHARGER KITS











Specification

Description

System

Battery Chemistry

BPP1817M

1 x 18V (1,7Ah) NiCad Battery

Art.-No.: 5132000049 EAN Code: 4892210100504



MICHE

BPP1817M2

2 x 18V (1,7Ah)

NiCad Batteries Art.-No.: 5133000292 EAN Code: 4892210100542



MICHE

BCP1817M

1 x 18V (1,7Ah) NiCad Battery & Charger 5132000041 Art -No ·



PRODUCE

BCP1817M2

2 x 18V (1,7Ah) NiCad Batteries & Charger Art.-No.: 5133000213 EAN Code: 4892210100580



MICHE

18V LITHIUM-ION BATTERIES & CHARGER KITS



Description

System

Battery Chemistry



BPL1820

1 x 18V (2,4Ah) Lithium-Ion Battery 5132000048 EAN Code: 4892210104359







BPL18202

2 x 18V (2,4Ah) Lithium-Ion Batteries







BLK1820

1 x 18V (2,4Ah) Lithium-Ion Battery & Super Charger 5132000045 Art.-No.: EAN Code: 4892210104335







BLK18202

2 x 18V (2,4Ah) Lithium-Ion Battery & Super Charger Art.-No.: 5133000200 EAN Code: 4892210104397





CHARGERS















Specification

Description

System

Battery Chemistry

BCL3620

Charger for 36V Lithium-lon batteries



5133000727 Art.-No.:

BCL1418

Super Charger for both Lithium-lon and NiCad batteries





Art.-No.: 5133000199 4892210109552

BC1800M

Fast Charger for NiCad batteries





4892210100702

BCS618

6 Port Battery Maintenance System suitable for Lithium-Ion and NiCad batteries





Art.-No.: 5132000042 4892210106346

BFG1218

Battery Fuel Gauge fits all 18V Lithium-lon and NiCad batteries





5132000043 Art.-No.:

AP4021

TEK4™ Battery Charger with 2 x 4V (1,5Ah) **batteries**

RYOBITE(4



Art.-No.: 5133000381


CORDLESS ACCESSORIES

36V ACCESSORIES

Specification		
Description		
System		
Fits		

RAC126	
1 x spool c with 1,5mn	over, spool n twisted line
ArtNo.: EAN Code: FILTING SO	5132002435 4892210813527





18V ACCESSORIES







RAC125

Shear Replacement		
Blade		
Ant No.	E40000040C	
ArtNo.:	5132002426	
EAN Code:	4892210813015	
18V	System	
0GS1820	/0GS1821	

RAC300







48V MOWER ACCESSORIES RAC305 RAC404 RAC405 Specification RAC408 500mm HedgeSweep $^{™}$ Lawnmower Lawnmower Description Lawnmower Debris removal 16"/ 40cm blade replacement bag 20"/52cm blade 5132002437 5132002438 Art.-No.: Art.-No.: Art.-No.: 5132002446 Art.-No.: 5132002448 EAN Code: 4892210813503 EAN Code: 4892210813466 EAN Code: 4892210813497 EAN Code: 4892210813787 **超期间 多多**V dulidum EGV System ONE + RHT1850Li/RHT36 RLM3640Li RLM3640Li RLM4852L Fits

4V TEK4™ ACCESSORIES

Specification	RAC301	RAC302	RAC303	RAC304
Description	Replacement grass shear blade	Replacement grass shrubber blade	Wheel and pole attachment	Replacement lopper blade
System Fits	ArtNo.: 5132002452 EAN Code: 4892210813428 RYOBITE 4 RGS410	ArtNo.: 5132002453 EAN Code: 4892210813435 RYOBITE 4 RGS410	ArtNo.: 5132002454 EAN Code: 4892210813442 RYOBITE 4 RGS410	ArtNo.: 5132002455 EAN Code: 4892210813459 RYOBITE 4 RLP416









The StartEasy™ system enables fast and easy starting.



Turn one power unit into eight tools.



The easiest starting petrol garden power tools in the world.



The lightest 4 stroke garden power tools in their class

RLT26CDS

26cc StartEasy™ Line Trimmer

Features

- StartEasy[™] carburettor for easy starting
- · Advanced engine design for optimum power and low emissions
- Split shaft for Expand-it™ attachment compatibility
- · Light weight and ergonomic design
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting

Included as standard

2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, D handle

Specification

Engine type:	2 stroke
Engine	
displacement:	26cc
Output power:	0,9hp
Tank capacity:	0,251
Cutting path width:	43cm
Line diameter:	2,4mm
Weight:	4.3ka

Art.-No.: 5133000259 EAN Code: 4892210811080

EXPANDIT ATTACHMENTS COMPATIBLE





RLT30CESA

30cc StartEasy™ Line Trimmer

Features

- StartEasy[™] carburettor for easy starting
- Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for Expand-it[™] attachment compatibility
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting
- Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, Ergo handle

Specification

Engine type:	2 stroke
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0,421
Cutting path width:	43cm
Line diameter:	2,4mm
Weight:	5,3kg

Art.-No.: 5133000052 EAN Code: 4892210806758

EXPAND-IT ATTACHMENTS COMPATIBLE





RLT30CET

30cc TouchStart™ Line Trimmer

Features

- TouchStart™ push button start system for easy starting. Includes an on-board charging system
- Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for Expand-it™ attachment compatibility
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- Centrifugal clutch for easier starting
- Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, TouchStart™ charger and battery, Ergo handle, Quick release shoulder harness

Specification

Engine type:	2 stroke
	TouchStart™
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0,421
Cutting path wi	dth: 43cm
Line diameter:	2,4mm
Weight:	6,7kg

Art.-No.: 5133000053 EAN Code: 4892210806987

EXPAND IT ATTACHMENTS COMPATIBLE





RLT430CES

30cc 4 Stroke Line Trimmer

Features

- No mixing of fuel & oil required
- Light weight 30cc 4 stroke engine with 1hp output
- Split shaft for Expand-it[™] attachment compatibility
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting
- Anti-vibration handle for added safety and user comfort

Included as standard

4 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, Ergo handle

Specification

Engine type:	4 stroke
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0,351
Cutting path width:	43cm
Line diameter:	2,4mm
Weight:	5,1kg

Art.-No.: 5133000021 EAN Code: 4892210808219









RBC26SES

26cc StartEasy™ Line Trimmer

Features

- StartEasy[™] carburettor for easy starting
- Advanced engine design for optimum power and low emissions
- Split shaft for Expand-it™ attachment compatibility
- Tri-Arc™ hardened steel brush cutting blade
- Reel-Easy[™] bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting
- · Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, Tri-Arc blade, quick release shoulder strap, Ergo handle

Specification

Engine type:	2 stroke		
Engine			
displacement:	26cc		
Output power:	0,9hp		
Tank capacity:	0,251		
Cutting path width:			
String head	46cm		
Blade	20cm		
Line diameter:	2,4mm		
Handle type: Ergo	D handle		

5 2kg

2 stroke

30cc

1hp

0,421

46cm

20cm

2,4mm

6.0ka

5133000288 Art.-No.: EAN Code: 4892210811097

Specification

Engine type:

displacement:

Output power:

Tank capacity:

Blade

Weight:

Cutting path width:

String head

Line diameter:

Engine

Weight:

COMPATIBLE





RBC30SESA

30cc StartEasy™ Brush Cutter

Features

- Powerful 30cc 2 stroke engine with 1hp output
- StartEasy[™] carburettor for easy starting
- Split shaft for Expand-it™ attachment compatibility
- Tri-Arc[™] hardened steel brush cutting blade
- Reel-Easy[™] bump feed head with patented 'Thread and load' system for rapid line refills
- Centrifugal clutch for easier starting
- · Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting line, Quick release shoulder strap, Wrench, Ergo handle

Available with a bike handle as RBC30SBSA see range summary on page 35

Art.-No.: 5133000034 EAN Code: 4892210806765

Handle type: Ergo D handle





30cc TouchStart™ Brush Cutter

Features

RBC30SET

- TouchStart™ push button start system for easy starting. Includes an on-board charging system
- · Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for Expand-it[™] attachment compatibility
- Tri-Arc[™] hardened steel brush cutting blade
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting
- Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting line, TouchStart™ charger and battery, Quick release shoulder strap, Wrench, Ergo handle

Specification

Engine type:	2 stroke
	TouchStart™
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0,421
Cutting path w	idth:
String head	46cm
Blade	20cm
Line diameter:	2,4mm
Handle type: I	Ergo D handle
Weight:	6,7kg

Art.-No.: 5133000256 EAN Code: 4892210807014

COMPATIBLE





RBC30SBT

30cc TouchStart™ Bike Handle Brush Cutter

- TouchStart™ push button start system for easy starting. Includes an on-board charging system
- Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for compact storage and Expand-it™ attachment compatibility
- Tri-Arc[™] hardened steel brush cutting blade
- Reel-Easy[™] bump feed head with patented 'Thread and load' system for rapid line refills
- Centrifugal clutch for easier starting
- · Fully adjustable rotating bike handle for comfort and storage convenience

Included as standard 2 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting line, TouchStart™ charger and battery, Quick release shoulder strap, Wrench, bike handle

Specification

Engine type:	2 stroke
	TouchStart™
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0,42
Cutting path wid	dth:
String head	46cm
Blade	20cm
Line diameter:	2,4mm
Handle type:	Bike handle
Weight:	7,4kg

5133000428 Art.-No. EAN Code: 4892210807021





RBC430SES

30cc 4 Stroke Brush Cutter

Features

- . No mixing of fuel & oil required
- Light weight 30cc 4 stroke engine with 1hp output
- Reel-Easy[™] bump feed head with patented 'Thread and load' system for rapid line refills
- Tri-Arc[™] hardened steel brush cutting blade
- · Anti-vibration handle for added safety and user comfort
- Split shaft for compact storage and Expand-it[™] attachment compatibility
- · Centrifugal clutch for easier starting

Included as standard

4 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting line, Quick release shoulder strap, Wrench, Ergo handle

Specification

4 stroke
30cc
1hp
0,351
46cm
20cm
2,4mm
D handle
6,0kg

Art.-No.: 5133000037 EAN Code: 4892210808196

COMPATIBLE





RBC430SBS

30cc 4 Stroke Bike Handle Brush Cutter

Features

- . No mixing of fuel & oil required
- Light weight 30cc 4 stroke engine with 1hp output
- · Fully adjustable rotating bike handle for comfort and storage
- Split shaft for compact storage and Expand-it™ attachment compatibility
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- Tri-Arc[™] hardened steel brush cutting blade
- · Centrifugal clutch for easier starting
- · Anti-vibration handle for added safety and user comfort

Included as standard

4 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting, line, Quick release safety harness, Wrench, Bike handle

RBC40SB

40cc Professional Brush Cutter

- Powerful 40cc engine with 1,7hp output
- Full crank engine for extended engine life and reduced vibration
- Fully adjustable rotating bike handle for comfort and storage convenience
- Solid drive shaft for added durability
- · Centrifugal clutch for easier starting
- Quick release fixed line cutting head

Included as standard

Quick release safety harness, 3 tooth hardened steel blade, Fixed line head with 10 lines, Bike handle, Wrench

Specification

Engine type:	4 stroke
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0,351
Cutting path wid	dth:
String head	46cm
Blade	20cm
Line diameter:	2,4mm
Handle type:	Bike handle
Weight:	7,4kg

Art.-No.: 5133000625 EAN Code: 4892210808189



Specification

Engine type:	2 stroke
full	crank engine
Engine	
displacement:	40cc
Output power:	1,7hp
Tank capacity:	1,21
Cutting path wid	dth:
String head	42cm
Blade	26cm
Line diameter:	2,7mm
Handle type:	Bike handle
Weight:	7,9kg

Art.-No.: 5133000035 EAN Code: 4892210804129



RBC52SB

52cc Professional Brush Cutter

Features

- Powerful 52cc engine with 1,9hp output
- Full crank engine for extended engine life and reduced vibration
- Fully adjustable rotating bike handle for comfort and storage
- · Solid drive shaft for added durability
- · Centrifugal clutch for easier starting
- · Quick release fixed line cutting head

Included as standard

Quick release safety harness, 3 tooth hardened steel blade, Fixed line head with 10 lines, Bike handle, Wrench

Specification

Engine type:	2 stroke
full	crank engine
Engine	
displacement:	52cc
Output power:	1,9hp
Tank capacity:	1,21
Cutting path wid	dth:
String head	42cm
Blade	26cm
Line diameter:	2,7mm
Handle type:	Bike handle
Weight:	7,9kg

5133000038 Art.-No.: EAN Code: 4892210804143





Turn one power unit into eight tools



Features

Quick Release – Simply use the quick release mechanism on the shaft to remove the trimmer or cutter head and connect the Expand-it™ attachment – within a few seconds you have a new garden power tool.





AHF04

Articulating Hedge Trimmer

Features

- Blade length: 44cm
- · Cutting capacity: 28mm
- Blade type: dual reciprocating
- 90° articulating blade for comfortable cutting in any angle
- 2,0kg

Art.-No.: 5132000037 EAN Code: 4892210808400

AHF03

Hedge Trimmer

Features

- Blade length: 45cm
- · Cutting capacity: 11mm
- Blade type: dual reciprocating
- 2,1kg

Art.-No.: 5132000036 EAN Code: 4892210801005

APR04

Pole Pruner

Features

- · Chain speed: 30m/s
- 15° angled blade for more comfortable and safer cutting
- Automatic chain oiler and clear oil tank
- Metal spike bumpers for easier and safer cutting
- 2,5kg

Art.-No.:5132000038 EAN Code: 4892210807588

ABE04

Blower

Features

- Air speed: 240km/h • Air volume: 8m3/min
- Leaf Guard[™] technology for
- higher efficiency
- 1,4kg



AQTT03

Cultivator

Features

- Tine diameter: 20cm
- Number of tines: 4
- 6,2kg



Art.-No.: 5132000039

EAN Code: 4892210800978

AED04 **Edger**

Features

- Blade diameter: 23cm
- Edging depth: 1.3cm 7cm
- Adjustable edging depth
- Ergonomic shaft angle
- Dual sided blade for higher efficiency and longer life
- 2,0kg



Art.-No.: 5133000445 EAN Code: 4892210808417

ABC03

Brush Cutter

Features

- · Blade diameter: 20cm
- Tri-Arc[™] cutting blade
- 2,1kg

Art.-No.: 5133000444 EAN Code: 4892210800992

ALT03

Line Trimmer

Features

- Line diameter: 2,4mm
- Cutting swath: 46cm



AEX002

Extension Shaft

Features

- Length: 62cm
- · Ideal for extending pole pruner or hedge trimmer attachments
- 0,7kg

Art.-No.: 5132000035 EAN Code: 4892210803405



Features

- 01 Patented EasyEdge™ technology offers a quick and simple transition between grass trimming and edging modes without letting go of the handles.
- 02 Fully adjustable front handle with GripZone™ and telescoping shaft offers maximum comfort and ease of use at any angle or height.
- 03 GripZone™ and Livetool Indicator™ for comfortable use and added user safety.



Easy



RLT5030S

500W EasyEdge™ Line Trimmer

- Patented EasyEdge™ technology featuring a spring assisted pedal for smooth transition from grass trimming to edging mode
- · Automatic feed spool head
- Powerful 500W high performance motor
- Telescoping shaft and fully adjustable front handle for optimum user comfort
- Plant protector for safe cutting and great finish
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] rear and front handle for user comfort

Specification

Power:	500W
Cutting path wi	idth: 30cm
Line cutting	
system:	Auto-feed
Line type:	2 x 1,5mm
	twisted
Weight:	3,1kg

5133000260 EAN Code: 4892210809438



RLT4025

400W Line Trimmer

Features

- . Innovative barrel wheel and rotating rear handle for edging
- Automatic feed spool head
- · Easy to use and handle due to ergonomic design and telescopic shaft

Specification

Power:		400W
Cutting path	width:	25cm
Line cutting		
system:	Α	luto-feed
Line type:	2:	x 1,5mm
		twisted
Weight:		2,3kg

Art.-No.: 5133000020 EAN Code: 4892210807304



RLT3025F

300W Folding Line Trimmer

Features

- Mid-shaft joint allows folding for easy storage and transportation
- Ergonomic arm support handle for improved balance and one-handed operation
- · Efficient 300W motor for low weight and sufficient power

Specification

Power:	300W
Cutting path	width: 25cm
Line cutting	
system:	Bump head
Line type:	2 x 1,2mm
Weight:	1,9kg

Art.-No.: 5133000019 EAN Code: 4892210807281



RLT6038EX

600W Line Trimmer

Features

- · Rear mount motor for full control at high motor power
- Wide cutting path
- . Split shaft for easy transport and storage
- · Fully adjustable front handle
- Livetool[™] indicator glows blue when plugged into power supply
- GripZone[™] handle for user comfort

Included as standard

Shoulder strap

Also available as a 1.000W version, see range summary on page 36

Specification

Power:	600W
Cutting path v	width: 38cm
Line cutting	
system:	Bump head
Line type:	2 x 1,5mm
	twisted
Weight:	4,3kg

Art.-No.: 5133000023 EAN Code: 4892210802163



RBC1000EX

1.000W Brush Cutter

Features

- Rear mount motor for full control with 1.000W motor power
- Wide cutting path
- Split shaft for easy transport and storage
- Fully adjustable front handle
- Livetool[™] indicator glows blue when plugged into power supply
- GripZone[™] handle for user comfort

Included as standard


Shoulder strap, dual line bump head, blade

Specification

Power:	1.000W
Cutting path wi	dth:
String head	38cm
Blade	20cm
Line cutting	
system:	Bump head
Line type:	2 x 2,00mm
	twisted
Weight:	4,8kg

Art.-No.: 5133000009 EAN Code: 4892210804099





Ultimate Power

- 01 Subaru® engine for ultimate performance.
- 02 The mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser.

Powered by



RLM4617SM

175cc Lawnmower

Features

- Subaru® 175cc OHC powerful engine
- 46cm deck for large cutting width
- · Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- · Single point height adjustment for 7 length of grass cutting
- Bumpers to protect the mower when cutting close to hard surfaces

Included as standard

55 litre grass bag, mulching plug

Specification

175cc OHC Engine: Deck size / cutting diameter: 46cm Motor speed: 2.800rpm Drive mechanism: Self-propelled 2-in-1 Grass bagging & mulching Mulching plug supplied: Yes Weight: 32,5kg

Art.-No.: 5133000747 EAN Code: 4892210812629

Powered by SUBARU

RLM5219SME

190cc Lawnmower

Features

- Subaru® 190cc OHC powerful engine
- 52cm deck for increased cutting width
- · Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- · Single point height adjustment for 7 length of grass cutting
- · Bumpers to protect the mower when cutting close to hard surfaces
- Side eject feature allows mower to cut long, rough grass

Included as standard

55 litre grass bag, mulching plug, side eject kit

Specification

Engine: 190cc OHC Deck size / cutting diameter: 52cm Motor speed: 2.800rpm Drive mechanism: Self-propelled Grass bagging, 3-in-1 mulching & side eject Mulching plug supplied: Yes Weight:

Art.-No.: 5133000749 EAN Code: 4892210812643



RLM140HP

140cc Lawnmower

Features

- Powerful 140cc OverHead Valve engine
- · Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 length of grass cutting
- · Large grass bag for convenient cutting

Included as standard

55 litre grass bag

Specification

Engine 140cc OHV Deck size cutting diameter: 46cm 2.800rpm Motor speed: Weight: 30,0kg

5133000177 Art.-No.: EAN Code: 4892210809278



RLM140SP

140cc Self-propelled Lawnmower

Features

- · Self propelled lawn mower for optimum user comfort
- Powerful 140cc OverHead Valve engine
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- . Single point height adjustment for 7 length of grass cutting
- · Large grass bag for convenient cutting

Included as standard

55 litre grass bag

Specification

Engine: 140cc OHV Deck size / cutting diameter: 46cm Motor speed: 2.800rpm Weight: 32,0kg

5133000178 Art.-No.: EAN Code: 4892210809285



RANGE SUMMARY & ACCESSORIES

PETROL LINE TRIMMERS & BRUSH CUTTERS



RLT26CDS

2 stroke

26cc

0,9hp 0,251 43cm

2,4mm

D handle

Art.-No.: 5133000259

EAN: 4892210811080

4,3kg







4 stroke

30cc 1hp 0,35l

43cm

2,4mm

5,1kg

Ergo D handle

Art.-No.: 5133000021



Specification
Engine type
Engine Displacement
Output power
Tank capacity
Cutting path width (string head)
Cutting path width (blade)
Line diameter
Handle type
Weight

<u></u>	_
~	
<u> </u>	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	

RLT30CESA	RLT30CET
2 stroke 30cc 1hp 0,42i 43cm - 2,4mm	2 stroke TouchStart 30cc 1hp 0,42l 43cm - 2,4mm
Ergo D handle 5,3kg	Ergo D handle 6,7kg
ArtNo.: 5133000052 EAN: 4892210806758	ArtNo.: 513300008 EAN: 489221080698

711 1. 110 0 100000000	711 L. 140 0 1000000L1
EAN: 4892210806987	EAN: 4892210808219
<u>v</u> <u>v</u>	<u>v</u>
v v v v	<i>v v v v v v v v v v</i>
	✓

•	1
F	RBC26SES
2	stroke
2	6сс
0	,9hp
0	,251
4	6cm
Ξ	0cm
	,4mm
Ξ	handle
5	,2kg
Α	rtNo.: 5133000288
Ē	AN: 4892210811097


	· -
LTA012	15m 2,4mm cutting line for Reel-Easy™
LTA013	50m 2,4mm cutting line for Reel-Easy™
LTA024	Tri-Arc™ replacement blade for brush cutters
LTA034	Replacement blade for brush cutters
LTA035	Line trimmer replacement head
LTA036/LTA040/	Pro-Cut II™ replacement cutting line (x20)
LTA050	
LTA039	Pro-Cut II™ replacement head and line (x10)
LTA042	Reel-Easy™ replacement head with line
RGA006	Line trimmer safety kit
ACC002	2 stroke oil 76ml
ACC004	2 stroke oil 11
RGA004	4 stroke multigrade engine oil

<u>/</u>	<u>v</u>	<u>v</u>
		<u>'</u>
<u> </u>	<u> </u>	<u> </u>
<u></u>	<u>~</u>	<u></u>
 <u> </u>	<u> </u>	<u> </u>
<u>v</u>	<u>v</u> <u>v</u> <u>v</u>	
<u> </u>		<u>/</u>
<u> </u>		<u> </u>
 	<u> </u>	



EXPAND IT









-	
RBC30SET	RBC30SBSA
2 stroke TouchStart™ 30cc 11pp 0,42l 46cm 20cm 2,4mm Ergo D handle 6,7kg ArtNo.: 5133000256 EAN: 4892210807014	2 stroke 30cc 1hp 0,42l 46cm 20cm 2,4mm Bike handle 7,1kg ArtNo.: 5133000031 EAN: 4892210806772







RBC30SBT
2 stroke TouchStart™
30cc
1hp
0,421
46cm
20cm
2,4mm
Bike handle
7,4kg
ArtNo.: 5133000428
EAN: 4892210807021





RBC430SES

4 stroke

30cc

1hp

0,351

46cm

20cm


6,0kg

2,4mm

Ergo D handle

Art.-No.: 5133000037









RBC40SB
2 stroke full crank
40cc
1,7hp
1,21
42cm
26cm
2,7mm
Bike handle
7,9kg
ArtNo.: 5133000035
EAN: 4892210804129





RANGE SUMMARY & ACCESSORIES

ELECTRIC LINE **TRIMMERS** & BRUSH **CUTTERS**



Specification
Power
Cutting diameter
Line Cutting system
Line type
Telescoping shaft
Edging facility
Plant protector
Livetool Indicator™
GripZone™
Weight

RL	T3025F
300	OW
250	cm
Bui	mp head
2 x	1,2mm
No	
1,9	kg
Art.	-No.: 5133000019
EAN	N: 4892210807281

RLT4025
400W 25cm
Auto-feed 2 x 1,5mm twisted
Yes Yes, barrel wheel
No Yes Yes
2,3kg ArtNo.: 5133000020
EAN: 4892210807304

500W
30cm
Auto-feed
2 x 1,5mm twisted
Yes
Yes, EasyEdge™
Yes
Yes
Yes
3,1kg
ArtNo.: 5133000260
EAN: 4892210809438

RLT6038EX
00014/
600W
38cm
Bump head
2 x 1,5mm twisted
No
No
No
Yes
Yes
4,3kg
ArtNo.: 5133000023
EAN: 4892210802163

RLT1000EX	_
1.000W	_
38cm	_
Bump head	-
2 x 1,5mm twisted	Ī
No	
No	
No	
Yes	
Yes	
4,8kg	
ArtNo.: 513300001	8
EAN: 489221080407	5

RBC10	00EX
1.000W	
20cm	String
38cm	Blade
Bump hea	ıd
2 x 2,0mn	n twisted
No	
No	
No	
Yes	
Yes	
4,8kg	
ArtNo.: 5	133000009
EAN: 48922	210804099

LTA008	15m of 1,2mm orange cutting line
LTA055	Complete replacement bump head
LTA054	2 replacement spools for RLT4025
LTA062	2 replacement spools for RLT5030S
LTA025	Complete replacement
	bump head – RLT6038EX
LTA026	Spool + Line accessory
	pack – RLT6038EX
LTA031	Complete replacement bump head
LTA032	Spool + Line accessory pack

_	AN. 4032210007201
_	
_	
v	•
_	
_	
_	
_	
_	
_	

EAN: 4892210809438	EAN: 489221080216
<u> </u>	
	<u></u>
	<u> </u>

ArtNo.: 5133000018	ArtNo.: 51330000
EAN: 4892210804075	EAN: 48922108040
	-
	-
<u> </u>	<u></u>
<u> </u>	<u>v</u>
	-

Accessories



EXPAND-IT™ ATTACHMENTS

Accessories	
CSA038	Replacement chain for Expand-it™ pole pruner
CSA039	Replacement bar for Expand-it™ pole pruner
ACC005	Bar & chain oil 11
LTA012	Replacement 15m line for ALT03
LTA024	Replacement Tri-Arc™ blade for ABC03



<u> </u>	
V	
<u> </u>	
ArtNo.:	5132000038
EAN:	4892210807588




ALT03	
V	
ArtNo.:	513300044



ABC03	
-	
V	
ArtNo.:	5133000444
EAN:	4892210800992

PETROL LAWNMOWER ACCESSORIES



Lawnmower 18"/46cm replacement blade
Lawnmower 20"/52cm replacement blade
Lawnmower 18"/46cm replacement blade
Mower bag (no metal frame)
Mulching Plug



RLM4617SM	RLM5219SME
175cc OHC	190cc OHC
46cm	52cm
2.800rpm	2.800rpm
Yes	Yes
19-76mm	19-76mm
551	551
32,5kg	34,5kg
ArtNo.: 5133000747	ArtNo.: 5133000749
EAN: 4892210812629	EAN: 4892210812643


/		
	V	

1	
A A	1
· CA	.4
- Al	-

RLM140HP	RLM140SP
140cc OHV	140cc OHV
46cm	46cm
2.800rpm	2.800rpm
No	Yes
19-76mm	19-76mm
551	551
30,0kg	32,0kg
ArtNo.: 5133000177	ArtNo.: 513300017
EAN: 4892210809278	EAN: 489221080928

<u>, </u>	<u>/</u>
	V
	<u> </u>







Features

- 01 Toolless chain tensioner.
- 02 Anti-vibration handle.
- 03 Dual post chain break.
- 04 Clear view fuel tank.









RCS3335C

33cc Petrol Chainsaw

Features

- Power full 2-stroke 33cc engine
- · 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- · Toolless chain tensioning system
- · Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Engine displacement: ЗЗсс Power: 1,8hp (1,3kW) Chain/Bar length: 33cm Chain speed: 12,5m/s Case: Yes Toolless chain tensioner Yes Fuel tank capacity: 0,581 Oil tank capacity: 0,351 Weight: 4,8kg

Specification

Art.-No.: 5133000675 EAN Code: 4892210805737

10	
RYOAL	W + (5)

RCS3535CB

35cc Petrol Chainsaw

Features

- · 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- Toolless chain tensioning system
- · Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Specification

Engine	
displacement:	35cc
Power:	2hp (1,5kW)
Chain/Bar lengt	h: 35cm
Chain speed:	12,5m/s
Case:	Yes
Toolless	
chain tensioner	: Yes
Fuel tank capac	ity: 0,3
Oil tank capacit	y: 0,2
Weight:	5,3kg

5133000670 Art.-No.: EAN Code: 4892210812322



RCS4040CB

40cc Petrol Chainsaw

Features

- Powerful 2 stroke 40cc engine
- · 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Toolless chain tensioning system
- · Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Specification

Engine	
displacement:	40cc
Power: 2,1hp	(1,6kW)
Chain/Bar length:	40cm
Chain speed:	12,5m/s
Case:	Yes
Toolless	
chain tensioner:	Yes
Fuel tank capacity:	0,31
Oil tank capacity:	0,21
Weight:	5,4kg





RCS4640C

NEW

46cc Petrol Chainsaw

Features

- Powerful 2 stroke 46cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- · Toolless chain tensioning system
- · Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Coming spring 2011

Specification	• • • • • • • • • • • • • • • • • • • •
Engine	
displacement: 46cc	
Power: 2,43hp (1,8kW)	
Chain/Bar length: 40cm	
Chain speed: 12,5m/s	
Case: Yes	
Toolless	
chain tensioner: Yes	
Fuel tank capacity: 0,51	
Oil tank capacity: 0,31	
Weight: 5,4kg	

ArtNo.:	5133000768
EAN Code:	4892210812711



RCS4845C

NEW

48cc Petrol Chainsaw

Features

- Powerful 2 stroke 48cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Toolless chain tensioning system
- Automatic chain and bar lubrication
- Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Specification

Engine		
displaceme	nt:	48cc
Power:	2,57hp	(1,9kW)
Chain/Bar le	ength:	45cm
Chain speed	d:	12,5m/s
Case:		Yes
Toolless		
chain tensio	ner:	Yes
Fuel tank ca	pacity:	0,5
Oil tank cap	acity:	0,3
Weight:		5,4kg

Art.-No.: 5133000769 EAN Code: 4892210812728



RCS5150C

51cc Petrol Chainsaw

- Features
 Powerful 2 stroke 51cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Specification

NEW

Engine	
displacement:	51cc
Power: 2,7	hp (2kW)
Chain/Bar length:	50cm
Chain speed:	12,5m/s
Case:	Yes
Toolless	
chain tensioner:	No
Fuel tank capacity:	0,51
Oil tank capacity:	0,31
Weight:	5,4kg



Art.-No.: 5133000746 EAN Code: 4892210812735



RCS1835

1.800W Electric Chainsaw

Features

- Toolless chain tensioning system
- · Fast acting chain brake for added safety
- Automatic chain and bar lubrication
- · Clear view window on oil tank for easy control of chain and bar oil
- Livetool Indicator™ glows blue when plugged into power supply
- GripZone[™] rear handle for user comfort

Included as standard

Bar & chain oil

Specification	
Power:	1.800W
Chain/Bar length:	35cm
Chain speed:	13m/s
Toolless	
chain tensioner:	Yes
Oil tank capacity:	0,2
Weight:	5,1kg
Cable length:	10m



Art.-No.: 5133000012 EAN Code: 4892210807175

RCS2040

2.000W Electric Chainsaw

Features

- Powerful 2.000W motor
- Toolless chain tensioning system
- Fast acting chain brake for added safety
- Automatic chain and bar lubrication
- · Clear view window on oil tank for easy control of chain and bar oil
- \bullet Livetool Indicator $^{\scriptscriptstyle\mathsf{TM}}$ glows blue when plugged into power supply
- GripZone[™] rear handle for user comfort

Included as standard

Bar & chain oil

Specification

Power:	2.000W
Chain/Bar length:	40cm
Chain speed:	13m/s
Toolless	
chain tensioner:	Yes
Oil tank capacity:	0,2
Weight:	5,2kg
Cable length:	10m



Art.-No.: 5133000013 EAN Code: 4892210807205

RPP720

Electric Pole Pruner

Features

- Light weight 720W motor for ergonomic pole operation
- 15° angled cutting head for safer and easier cutting
- Telescopic fiber glass pole for long reach
- Automatic chain and bar lubrication
- Clear view window on oil tank for easy control of chain and bar oil levels
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] handle for user comfort

Included as standard

Bar & chain oil, Wrench, shoulder harness

Specification

Power:	720W
Chain/Bar length:	20cm
Chain speed:	15m/s
Oil tank capacity:	51ml
Neight:	3,5kg
Cable length:	8m








Features

- 01 Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges safely in different angles.
- 02 Lasercut precision blade with anti-skid technology for highest cutting performance and prolonged life.
- 03 HedgeSweep™ sweeps remaining clippings away from the hedge.







RHT2660DA

26cc StartEasy™ Petrol Hedge Trimmer

Features

- Powerful 26cc 2 stroke engine
- 5 position rotating rear handle for optimum user comfort
- Dual reciprocating precision blade for less vibration
- StartEasy[™] carburettor for easy starting

Included as standard

2 stroke oil, Wrench

Specification

Engine	
displacement:	26cc
Power:	0,9hp
Blade length:	60cm
Cutting capacity:	28mm
Blade type:	dual-action
Blade speed:	2.600min ⁻¹
Weight:	5,3kg



RHT400

400W Electric Hedge Trimmer

Features

- Dual reciprocating blade for less vibration
- 180 degree loop front trigger handle for enhanced user comfort
- Livetool Indicator™ glows blue when plugged into power supply
- GripZone[™] rear handle for user comfort

Specification

Power:	400W
Blade length:	45cm
Cutting capacity:	18mm
Blade type:	dual-action
Γ Blade protector	r: No
Blade speed:	1.700min ⁻¹
Weight:	3,0kg

Art.-No.: 5133000015 EAN Code: 4892210807267

RHT500R

500W Electric Hedge Trimmer

Features

- Dual reciprocating diamond ground blade for great finish while cutting and less vibration
- T blade protector to guard blade
- HedgeSweep[™] capable blade
- Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges in different angles
- Livetool Indicator™ glows blue when plugged into power supply
- GripZone[™] rear and front handle for added user comfort

Specification

Power:	500W
Blade length:	55cm
Cutting capacity	24mm
Blade type:	dual-action
T Blade protecto	r: Yes
Blade speed:	3.000min ⁻¹
Weight:	3,4kg

Art.-No.: 5133000202 EAN Code: 4892210809452



RHT600RL

600W Electric Hedge Trimmer with HedgeSweep™

Features

- · Laser cut high precision blade for cleanest cut
- HedgeSweep™ debris sweeper for easy removal of clippings
- Powerful 600W motor
- T blade protector to guard blade
- Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges in different angles
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone™ rear and front handle for added user comfort

Included as standard

HedgeSweep™

Specification

Power:	600W
Blade length:	60cm
Cutting capacity:	27mm
Blade type:	dual-action
T Blade protector	r: Yes
Blade speed:	3.000min ⁻¹
Weight:	3,8kg

Art.-No.: 5133000203 EAN Code: 4892210809476

HEDGE SWEEP



RPT400

Electric Articulating Pole Hedge Trimmer

Features

- Light weight 400W motor
- 135 degree articulating trimming head
- Telescopic fiber glass pole for long reach
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] handle for user comfort

Specification

Power:	400W
Blade length:	40cm
Cutting capacity:	17mm
Blade type:	dual-action
T Blade protector	r: No
Blade speed:	1.700min ⁻¹
Length of produc	t: 195mm
Length extended:	230mm
Weight:	4,1kg

Art.-No.: 5133000025 EAN Code: 4892210807144



RANGE SUMMARY & ACCESSORIES

CHAINSAWS & POLE PRUNER



		100	A STATE OF THE PARTY OF THE PAR	1	1	1	
Specification	RCS3335C	RCS3535CB	RCS4040CB	RCS4640C	RCS4845C	RCS5150C	RCS1835
Engine displacement Power Chain/Bar length Chain speed Case Toolless chain tensioner Fuel tank capacity Oil tank capacity Weight	33cc 1,8hp (1,3kW) 33cm 12,5m/s Yes 9es 0,58l 0,35l 4,8kg	35cc 2hp (1,5kW) 35cm 12,5m/s Yes Yes 0,3l 0,2l 5,3kg	40cc 2,1hp (1,6kW) 40cm 12,5m/s Yes Yes 0,3l 0,2l 5,4kg	46cc 2,43hp (1,8kW) 40cm 12,5m/s Yes Yes 0,5l 0,3l 5,4kg	48cc 2,57hp (1,9kW) 45cm 12,5m/s Yes Yes 0,5l 0,3l 5,4kg	51cc 2,7hp (2kW) 50cm 12,5m/s Yes No 0,5l 0,3l 5,4kg	N/A 1.800W 35cm 13m/s No Yes - 0,2l 5,1kg
CSA040 CSA044 CSA044 CSA044 CSA044 CSA044 CSA044 CSA046 CS							
CSA054 full complement chain 35cm high performance chain for electric chainsaws 40cm high performance chain for electric chainsaws RAC228 40cm chain for RCS4640C RAC230 45cm chain for RCS4845C RAC232 50cm chain for RCS5150C				<u>v</u>			
Bar Accessories CSA035 35cm petrol chainsawbar CSA041 20cm pruner chainsawbar CSA047 40cm petrol chainsawbar CSA055 35cm electric chainsawbar CSA057 40cm electric chainsawbar RAC229 40cm bar for RCS4640C RAC231 45cm bar for RCS4845C RAC233 50cm bar for RCS5150C	<i>v</i>	<i>y</i>					
Oils ACC002 2 stroke oil 76ml ACC003 Chain &bar oil 76ml ACC004 Chain &bar oil 11 ACC005 2 stroke oil 11	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				V V V	
RGA008 RGA007 Chainsaw protective gloves Chainsaw safety helmet	<u></u>	<u>v</u>	<u>v</u> <u>v</u>	<u>v</u> <u>v</u>	<u>v</u> <u>v</u>	<u>v</u> <u>v</u>	<u></u>





HEDGE TRIMMERS












RCS2040	RPP720
I/A	N/A
2.000W	720W
10cm	20cm
3m/s	15m/s
No .	No
/es	No
-	=
),2l	51 ml
5,2kg	3,5kg

Specification
Engine displacement
Power
Blade length
Cutting capacity
Blade type
T Blade protector
Blade speed
Weight



26cc

0,9hp 60cm 28mm dual-action

2.600min⁻¹

5,3kg








RPT400
400W
40cm
17mm
dual-action
No
1.700min ⁻¹
4,1kg













Features

- 01 The unique and innovative PowerMulching™ blades protect the fan from being damaged by debris such as stones and twigs, which can be accidently sucked up during use. The blades also increase the mulching capacity of the tool by chopping and mulching the leafs twice.
- 02 Telescopic tubes for easy storage and wheels for easy use and manoeuvrability.





RBV2800S

Electric Blower Vac with PowerMulching™

Features

- · High airspeed, airflow and mulching ratio at low power consumption
- PowerMulching[™] blades allowing high impact resistance and high mulching ratio
- · Quick change lever to switch between blow and vacuum mode
- Telescoping tubes with double safety switching for easy storage and
- Shoulder strap for added comfort and control
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] rear handle and adjustable front handle for user comfort

Included as standard

Collection bag, Shoulder strap

Specification

Airspeed:	up to 320km/h
Air volume:	14m³/min
Mulching Rat	io: 15:1
Collection ba	g
capacity:	451
Max Power:	2.800W
Variable Spee	d: No
Weight:	5,5kg



Art.-No.: 5133000179 EAN Code: 4892210809391

RBV3000VP

Variable Speed Electric Blower Vac with PowerMulching™

Features

- Variable speed selection for added user control
- · High airspeed, airflow and mulching ratio at low power consumption
- PowerMulching™ blades allowing high impact resistance and high mulching ratio
- Quick change lever to switch between blow and vacuum mode
- · Telescoping tubes with double safety switching for easy storage and
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] rear handle and adjustable front handle for user comfort

Included as standard

Collection bag, Shoulder strap

Specification

Airspeed:	up to	320km/h
Air volume:	up to	14m³/min
Mulching Ra	tio:	15:1
Collection ba	ag	
capacity:		451
Max Power:		3.000W
Variable Spe	ed:	Yes
Weight:		5,5kg





5133000180 Art.-No.: EAN Code: 4892210809414

RBV26

26cc Petrol Blower Vac

Features

- Light and compact 26cc 2 stroke blower with vacuum capabilities
- · High performance blower and mulching vacuum with adjustable speed
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue
- StartEasy[™] carburettor for easy starting

Included as standard

2 stroke oil, Collection bag, Wrench, Vacuum tubes, Blower tubes

Specification

Engine		
displacemen	nt:	26cc
Airspeed:	up t	320km/h
Air volume:	up to	12m³/min
Mulching Ra	atio:	12:1
Collection b	ag	
capacity:		401
Power:		0,9hp
Weight:		4,5kg





RBL30MVB

30cc Petrol Mulching Blower Vac

Features

- Quick change lever to switch between blow and vacuum mode without changing tubes
- Powerful 30cc 2 stroke engine
- High mulching efficiency with the metal mulching blade
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue
- Shoulder strap for added comfort and control

Included as standard

2 stroke oil, Collection bag, Wrench, Quick release shoulder harness

Specification

Engine Disp	lacem	ent:	30cc
Airspeed:	up to	250	0km/r
Air volume:	up to	13m	³ /mir
Mulching Ra	atio:		12:1
Collection b	ag		
capacity:			40
Power:			1hp
Weight:			7,5kg





Art.-No.: 5133001112 EAN Code: 4892210814708

RBL30BPT

30cc TouchStart™ Petrol Backpack Blower

Features

- TouchStart™ push button start system for easy starting. Includes an on-board charging system
- · Powerful 30cc 2 stroke engine with 1hp output
- Cruise control throttle on ergonomic throttle arm allows to set and maintain desired speed during prolonged use
- Ergonomic backpack frame, with breathable back padding for improved user comfort
- Starter rope included as a backup
- Low noise blower

Included as standard

2 stroke oil, TouchStart $^{\scriptscriptstyle\mathsf{TM}}$ charger and battery, Wrench

Specification

Engine		
displaceme	nt:	30cc
Airspeed:	up to	290km/h
Air volume:	up to	10m³/mir
Power:		1hp
Weight:		7,8kg



Art.-No.: 5133000039 EAN Code: 4892210808356

RSH2455

2.400W Electric 'Quiet' Shredder/Mulcher

Features

- · Crushing and cutting action is ideal for composting
- Auto reverse unblocking system
- Automatic self feeding operation
- Large top hopper for easy feeding of branches and leaves
- Very quiet operation
- Robust metal frame and large wheels for easy handling
- Overload protection for added user safety
- Livetool Indicator™ glows blue when plugged into power supply

Included as standard

Collection bag

Specification

Power:	2.400W
Cutting system	n: Cutting/
	crushing gear
Max. cutting	
diameter:	40mm
Cable length:	12m
Weight:	25,0kg



Art.-No.: 5133000207 EAN Code: 4892210801838



RSH2400R

2.400W Electric Shredder/Mulcher

Features

- Powerful impact shredder with two reversible blades
- . Shreds branches of up to 40mm
- · Reinforced frame for improved strength and stability
- Large top hopper for easy feeding of branches and leaves
- Overload protection for added user safety
- Livetool Indicator™ glows blue when plugged into power supply

Included as standard

Collection bag, Plunger, Spanners

Specification	
Power:	2.400W
Cutting system:	Impact
	blades
Max. cutting	
diameter:	40mm
Cable length:	10m
Weight:	13,5kg

5133000266 Art.-No.: EAN Code: 4892210807236

TO EL

ELS52

1.500W Electric Log Splitter

Features

- Powerful 4 tons split force
- Strong tubular frame to hold logs safely in place while operating
- · Large wheels and rubber grip handles for easy manoeuvring

Specification	
Power:	1.500W

opiit iorce.	4 (0113
Maximum	
og length:	52cm
Cable length:	12m
Neight:	45,0kg

Art.-No.: 5133000254 EAN Code: 4892210801531



RCP1000

1.050W Electric Cultivator

Features

- Powerful brush motor with 4 tines
- · Adjustable cutting width
- Foldable handles for easy transportation and storage
- Livetool Indicator[™] glows blue when plugged into power supply
- \bullet GripZone $^{\scriptscriptstyle\mathsf{TM}}$ overmould technology for improved comfort with a positive grip

Specification

NEW

Power:	1.050W
Cutting width:	18-30cm
Cutting depth:	20.5cm
Tine diameter:	23cm
Cutting speed:	350rpm
Weight:	16,0kg





RANGE SUMMARY & ACCESSORIES

BLOWERS & VACS











Specific	cation
Engine Dis	splacement
Airspeed	
Air volume)
Mulching	Ratio
Collection	bag capacity
Power	
Weight	

RBV2800S
-
320km/h
14m³/min
15:1
451
2.800W
5,5kg


HDV3000V	<u> </u>
_	
up to 320km/h	
up to 14m³/mir	n
15:1	
451	
3.000W	
5,5kg	

RBV26
26cc
up to 320km/h
up to 12m³/min
12:1
401
0,9hp
4,5kg

RBL30MVB
30cc
up to 250km/h
up to 13m³/min
12:1
401
1hp
7,5kg

RBL	30BPT	
30cc		
up to	290km/h	
up to	10m³/min	
N/A		
N/A		
1hp		
7,8kg		

Accessories	
ACC038	Replacement collection bag
ACC017	Replacement collection bag
ACC023	Replacement collection bag
RAC358	Replacement collection bag



		_
		_
~		







SHREDDERS & LOG SPLITTERS








Specification	
Power	
Cutting system	
Max. cutting diameter	
Cable length	
Weight	
Split force	
Maximum log length	


RSH2455
2.400W
Cutting/crushing gear
40mm
12m
25,0kg



ELS52	
1.500W	
-	
-	
12m	
45,0kg	
4 tons	
52cm	

Accessories	
ACC030 ACC033	Replacement cutting knives Replacement collection bag






CULTIVATORS



Specification	
Power	
Cutting width	
Cutting depth	
Tine diameter	
Cutting speed	
Weight	

Accessories	
ACC030 ACC033	Replacement cutting knives Replacement collection bag
ACC033	Replacement collection bag











Features

- 01 2-in-1 pressure washer. Works as a regular pressure washer, but also in upright mode for decking, patios and pavements.
- 02 33cm surface cleaner for up to 10 x faster results.
- 03 Compatible with the Expand-it™ range of pressure washer accessories.







RPW100S

100bar Pressure Washer

Features

- Siphon feature for drawing water from ponds, lakes, holding tanks, etc.
- Compact design for easy transportation
- Lance with adjustable spray nozzle
- Compatible with the Expand-it™ range of pressure washer accessories

Included as standard

Vario lance, Detergent bottle, Siphon feature, Turbo lance

Specification 100bar Working pressure: Max pressure: 105bar Flow rate: 360l/h Motor power: 1.400W Hose length: 6m Built-in kart: No I ance nozzle connection: Fixed Detergent tank: Bottle supplied

Art.-No.: 5133000261 EAN Code: 4892210810236



RPW120S

120bar Pressure Washer

Features

- · Siphon feature for drawing water from ponds, lakes, holding tanks, etc.
- Compact design for easy transportation
- · Lance with adjustable spray nozzle
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

Vario lance, Detergent bottle, Siphon feature, Turbo lance

Specification

Norking pressure:	120bar
Max pressure:	130bar
low rate:	360l/h
Motor power:	1.600W
Hose length:	6m
Built-in kart:	No
ance nozzle	
connection:	Fixed
Detergent tank:	Bottle
	supplied

5133000211 Art.-No.: EAN Code: 4892210810250



RPW120X

120bar Pressure Washer with Quick Connect Lance

Features

- · Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Integrated detergent tank increases cleaning power
- Siphon feature
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

25° spray nozzle, LP Soap/Rinse nozzle, Fixed brush, Turbo nozzle

Specification

Working pressure:	120bar
Max pressure:	140bar
Flow rate:	400l/h
Motor power:	1.800W
Hose length:	6m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	Connect

Detergent tank: On Board



RPW105DM

DualClean™ 2-In-1 Pressure Washer

Features

- Innovative 2-in-1 design: works as a regular pressure washer or as a powerful upright surface cleaner
- 33cm surface cleaner for up to 10x faster results
- · Integrated detergent tank increases cleaning power
- · Handle doubles up as Quick Connect-style lance for easy switching of spray nozzles
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

25° spray nozzle, LP Soap/Rinse nozzle, Turbo nozzle

Specification

Working pressure:	105bar
Max pressure:	120bar
Flow rate:	340l/h
Motor power:	1.600W
Hose length:	6m
Built-in kart:	Yes
Lance nozzle	

connection: Quick Connect Detergent tank: On Board

Art -No · 5133000204



EAN Code: 4892210809179

RPW120HS

120bar HydroSurge™ Pressure Washer

Features

- Groundbreaking HydroSurge[™] pump technology produces simultaneous high pressure cleaning and high flow rinsing for outstanding results
- · Combination of 2 jets produces class-leading flow rates for rinsing away dirt
- Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- · Integrated detergent tank increases cleaning power
- . Apply Soap with one jet, clean with the other
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

 $0\,^\circ$ spray nozzle, $25\,^\circ$ spray nozzle, Fixed brush, Turbo nozzle

Specification

Working pressure:	120bar
Max pressure:	140bar
Flow rate:	570(LP)
+ 3	20(HP)I/h
Motor power:	1.700W
Hose length:	8m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	Connect
Detergent tank:	On Board

EAN Code: 4892210809131

5133000210



RPW130HS

130bar HydroSurge™ Pressure Washer

Features

- Groundbreaking HydroSurge[™] pump technology produces simultaneous high pressure cleaning and high flow rinsing for outstanding results
- · Combination of 2 jets produces class-leading flow rates for rinsing
- · Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Integrated detergent tank increases cleaning power
- . Apply Soap with one jet, clean with the other
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

0° spray nozzle, 25° spray nozzle, 40° spray nozzle, Fixed brush, Turbo nozzle

Specification

Art.-No.:

Working pressure:	130ba
Max pressure:	150ba
Flow rate:	570(LP)
+ 3	60(HP)I/h
Motor power:	1.800W
Hose length:	8m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	k Connec
Detergent tank:	On Board

Art.-No.: 5133000263 EAN Code: 4892210809155



SYOBI 60 | ELECTRIC PRESSURE WASHER

RPW140HS

140bar HydroSurge™ Pressure Washer

Features

- Groundbreaking HydroSurge™ pump technology produces simultaneous high pressure cleaning and high flow rinsing for $% \left(1\right) =\left(1\right) \left(1\right$ outstanding results
- · Combination of 2 jets produces class-leading flow rates for rinsing
- · Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Integrated detergent tank increases cleaning power
- Apply Soap with one jet, clean with the other
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

0° spray nozzle, 15° spray nozzle, 25° spray nozzle, 40° spray nozzle, Fixed brush, Turbo nozzle

Specification

Working pressure	e: 140bar
Max pressure:	160bar
Flow rate:	620(LP)
+	400(HP)I/h
Motor power:	2.300W
Hose length:	10m
Built-in kart:	Yes
Lance nozzle	
connection: Qui	ick Connect
Detergent tank:	On Board

HYDROSURGE*

COMPATIBLE



Art.-No.: 5133000264 EAN Code: 4892210809490

RPW150HS

150bar HydroSurge™ Pressure Washer

Features

- Groundbreaking HydroSurge[™] pump technology produces simultaneous high pressure cleaning and high flow rinsing for outstanding results
- · Combination of 2 jets produces class-leading flow rates for rinsing away dirt
- Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Convenient hose reel
- Integrated detergent tank increases cleaning power
- · Apply Soap with one jet, clean with the other
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

Hose reel, 0° spray nozzle, 15° spray nozzle, 25° spray nozzle, 40° spray nozzle, Fixed brush, Turbo nozzle

Specification

Working pressure:	150bai
Max pressure:	170bai
Flow rate:	620(LP)
+ 4	40(HP)I/h
Motor power:	2.300W
Hose length:	10m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	k Connect
Detergent tank:	On Board







Art.-No.: 5133000205 EAN Code: 4892210809513

Petrol Pressure Washers



Features

- 01 Robust metal frame with wheels for easy transportation.
- 02 Quick connect style lance for easy switching of spray nozzles.
- 03 Compatible with the Expand-it™ range of pressure washer accessories.



RPW2400

172bar Petrol Pressure Washer

Features

- Robust metal frame with wheels for easy transportation
- · Quick Connect-style lance for easy switching of spray nozzles
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

 $0\,^\circ$ spray nozzle, $25\,^\circ$ spray nozzle, $40\,^\circ$ spray nozzle, LP Soap/Rinse nozzle

Specification

Working pressure:	172bar
Flow rate:	520l/h
Motor power:	163cc
Engine:	OHV
Hose length:	8m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	Connect
Detergent tank:	In Line
Detergent tank:	in Line





5133000206 Art.-No.: EAN Code: 4892210810199

RPW2500WB

3-in-1 Petrol Pressure Washer

Features

- 3-in-1 design: walk-behind mode, detached-deck mode or standardspray mode
- 38cm wide surface cleaning deck for up to 10x faster results
- Quick Connect-style lance for easy switching of spray nozzles
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

0° spray nozzle, 15° spray nozzle, 25° spray nozzle, Soap Blaster™ nozzle

Specification

Working pressure	e: 180ba
Flow rate:	5201/h
Motor power:	160cc
Engine:	Honda OH\
Hose length:	5m
Built-in kart:	Yes
Lance nozzle	
connection: Qui	ick Connec
Determent tank:	In I inc





RANGE SUMMARY & ACCESSORIES

PRESSURE WASHER ACCESSORIES

Expand-it™ Accessories are a series of products designed to enhance your pressure washer cleaning power and efficiency. Due to the innovative Expand-it™ connection system and Universal Brand fit™ these accessories are compatible with all popular pressure washers.

Hoses			
PWA101	Replacement / Extension Hose – 8m EAN Code: 4892210809674	0	M22 x 14/15mm compatible union at both ends. Includes a
ArtNo.: 5132000156 PWA102 ArtNo.: 5132000157	Replacement / Extension Hose – 12m EAN Code: 4892210809681	Ö	22mm adaptor for extending hoses M22 x 14/15mm compatible union at both ends. Includes a
PWA199 ArtNo.: 5132000158	Starter Kit EAN Code: 4892210811158	<u>~0</u> — ⋒	22mm adaptor for extending hoses Includes pressure washer gun, lance, 8m hose and 25° nozzlifor general cleaning
Guns & lances			
PWA201 ArtNo.: 5132000159	Pressure Washer Gun EAN Code: 4892210809728		With M22 hose connection. Requires compatible lance – eg PWA204.
PWA202 ArtNo.: 5132000160	High Performance Pressure Washer Gun EAN Code: 4892210809735		With M22 hose connection. Requires compatible lance – eg PWA205 / PWA204.
PWA204 ArtNo.: 5132000161	Universal Lance EAN Code: 4892210809742	G	Lance featuring Quick Connect nozzle attachment. Includes bayonet pack for compatibility with existing pressure washer guns, and a 25° nozzle for general cleaning.
PWA205 ArtNo.: 5132000162	Metal Lance EAN Code: 4892210809759	-	Fits any M22-pressure washer gun. Features a Quick Connect attachment for a wide choice of cleaning nozzles.
PWA208 ArtNo.: 5132000163	Underbody Lance EAN Code: 4892210809773		Fits any pressure washer gun via supplied bayonets.
PWA209 ArtNo.: 5132000164	Drain Cleaner – 15m EAN Code: 4892210809780	0	Fits onto pressure washer gun via M22 or supplied bayonets. Self-propelling to clear blockages from pipes or drains.
Adaptors & Conn	ectors		
PWA300 ArtNo.: 5132000165	Kärcher Adaptor EAN Code: 4892210809797	1	Connects Universal Lance and Brushes to Karcher guns.
PWA301 ArtNo.: 5132000166	Bosch / MacAllister Adaptor EAN Code: 4892210809803	i	Connects Universal Lance and Brushes to Bosch, MacAllister and other FAIP guns.
PWA302 ArtNo.: 5132000167	Ryobi / Homelite / Black&Decker Adaptor EAN Code: 4892210809810	å	Connects Universal Lance and Brushes to Ryobi (RPW100/120 E/S), Homelite (HPW080E), Black&Decker and other AR guns.
PWA303 ArtNo.: 5132000168	Nilfisk / Lavor Adaptor EAN Code: 4892210809827	1	Connects Universal Lance and Brushes to Nilfisk and Lavor guns.
PWA306 ArtNo.: 5132000169	M22 Adaptor EAN Code: 4892210809858	ı	Connects Universal Lance and Brushes to M22 guns.
PWA307 ArtNo.: 5132000170	Quick Connect to M22 Adaptor EAN Code: 4892210810977	•	Converts Quick Connect-style lances into M22, for further compatibility.



Nozzles			
PWA400 ArtNo.: 5132000171	0° Nozzle EAN Code: 4892210809872	A	Fits onto a Quick Connect nozzle attachment. Ideal for spot cleaning.
PWA401 ArtNo.: 5132000172	15° Nozzle EAN Code: 4892210809889	<u> </u>	Fits onto a Quick Connect nozzle attachment. Ideal for heavy cleaning.
PWA402 ArtNo.: 5132000173	25° Nozzle EAN Code: 4892210809896	<u> </u>	Fits onto a Quick Connect nozzle attachment. Ideal for general-purpose cleaning.
PWA403 ArtNo.: 5132000174	40° Nozzle EAN Code: 4892210809902	Pel)	Fits onto a Quick Connect nozzle attachment. Ideal for light, delicate cleaning.
PWA404 ArtNo.: 5132000175	Soap / Rinse Nozzle EAN Code: 4892210809919	M	Fits onto a Quick Connect nozzle attachment. Ideal for applying detergent, or rinsing.
PWA405 ArtNo.: 5132000176	4-Nozzle Set EAN Code: 4892210809926		Fits onto a Quick Connect nozzle attachment. A set of cleaning nozzles stored in a convenient rubber holder.
PWA407 ArtNo.: 5132000177	6 in 1 Nozzle EAN Code: 4892210809940		Fits onto a Quick Connect nozzle attachment. 0°, 15°, 25°, Rinse, Low Pressure Soap and High Pressure Soap – all in 1 convenient nozzle.
PWA408 ArtNo.: 5132000178	4 in 1 Nozzle EAN Code: 4892210809957		Fits onto a Quick Connect nozzle attachment. 0°, 25°, Low Pressure Soap and High Pressure Soap – all in 1 convenient nozzle.
PWA409 ArtNo.: 5132000179	Turbo Nozzle EAN Code: 4892210809964	4	Fits onto a Quick Connect nozzle attachment. Dynamic jet for more Power:ful cleaning. Also knows as a 'Dirt Blaster'.
Brushes & Cleani	ng Heads		
PWA500 ArtNo.: 5132000180	Rotating Brush EAN Code: 4892210809995	-	Fits onto pressure washer gun via the supplied bayonets. Idea for cars and other vehicles, the high pressure water stream rotates the brush, to provide active cleaning Power.
PWA501 ArtNo.: 5132000181	Fixed Brush EAN Code: 4892210810007		Fits onto pressure washer gun via the supplied bayonets. The high pressure water stream makes cleaning easier and more effective.
PWA502 ArtNo.: 5132000182	Soft Bristle Wash Brush EAN Code: 4892210810014		Fits onto pressure washer gun via the supplied bayonets. The high pressure water stream makes cleaning easier and more effective.
PWA508 ArtNo.: 5132000184	Universal Patio Head EAN Code: 4892210810069		Fits onto pressure washer gun via the supplied bayonets. The application of 2 x high pressure water jets directly onto the target surface provides up to 10 x faster cleaning, with consistant, streak-free results.

INDEX

Contents		3
New Proc	ducts	4 – 5
Cordless	Garden Tools	6 – 17
Li-lon 36\	/ & 48V Tools	8 – 11
RHT36 RLT36 RCS36 RBL36B RLM3640LI RLM4852L	36V Li-Ion Hedge Trimmer 36V Li-Ion Line Trimmer 36V Li-Ion Chainsaw 36V Li-Ion Blower 36V Li-Ion Lawnmower 48V Cordless Lawnmower	9 9 9 10 10
One Plus	™ 18V & TEK4™ Tools	12 – 17
RLT1830LI OLT1831 RHT1850LI OHT1851 OBL1802 OPS1821 OGS1821 RGS410 RLP416	18V One Plus ™ Line Trimmer Starter Kit with Compact Lithium-Ion Battery 18V One Plus ™ Line Trimmer 18V One Plus ™ Hedge Trimmer Starter Kit with Compact Lithium-Ion Battery 18V One Plus ™ Hedge Trimmer 18V One Plus ™ Blower 18V One Plus ™ Pruner 18V One Plus ™ Shear & Shrubber TEK4 ™ Lithium-Ion Shear Shrubber TEK4 ™ Lithium-Ion Shear Lopper	13 13 14 14 15 15 15 17
Battery &	Charger Options	18 – 19
Cordless	Accessories	20 – 21
Lawn Car	re Tools	22 – 37
Petrol Too	ols	24 – 27
RLT26CDS RLT30CESA RLT30CET RLT430CES RBC26SES RBC30SESA RBC30SET RBC30SBT RBC430SES RBC430SES RBC430SBS RBC430SBS	26cc StartEasy™ Line Trimmer 30cc StartEasy™ Line Trimmer 30cc TouchStart™ Line Trimmer 4 Stroke Line Trimmer 26cc StartEasy™ Brush Cutter 30cc StartEasy™ Brush Cutter 30cc TouchStart™ Brush Cutter 30cc TouchStart™ Bike Handle Brush Cutter 4 Stroke Brush Cutter 4 Stroke Bike Handle Brush Cutter 4 Stroke Bike Handle Brush Cutter 40cc Professional Brush Cutter 52cc Professional Brush Cutter	25 25 25 25 26 26 26 26 27 27 27 27
Expand-it	^{t™} Attachments	28 – 29
AHF04 AHF03 APR04 ABE04 AQTT03 AED04 ABC03 ALT03 AEX002	Articulating Hedge Trimmer Hedge Trimmer Pole Pruner Blower Cultivator Edger Brush Cutter Line Trimmer Extension Shaft	29 29 29 29 29 29 29 29 29

Electric To	pols	30 -	- 31
RLT5030S RLT4025 RLT3025F RLT6038EX RBC1000EX	500W EasyEdge™ Line Trimmer 400W Line Trimmer 300W Folding Line Trimmer 600W Line Trimmer 1.000W Brush Cutter		30 31 31 31 31
Petrol Law	rnmowers	32 -	- 33
RLM4617SM RLM5219SME RLM140HP RLM140SP	175cc Lawnmower 190cc Lawnmower 140cc Lawnmower 140cc Self-propelled Lawnmower		33 33 33 33
Range Sur	nmary & Accessories	34 -	- 37
Tree & He	dge Care Tools	38 -	- 47
Chainsaws	3	40 -	- 43
RCS3335C RCS3535CB RCS4040CB RCS4640C RCS4845C RCS5150C RCS1835 RCS2040 RPP720	33cc Petrol Chainsaw 35cc Petrol Chainsaw 40cc Petrol Chainsaw 46cc Petrol Chainsaw 48cc Petrol Chainsaw 51cc Petrol Chainsaw 1.800W Electric Chainsaw 2.000W Electric Chainsaw Electric Pole Pruner		41 41 42 42 42 43 43 43
Hedge Trir	nmer	44 -	- 45
RHT2660DA RHT400 RHT500R RHT600RL RPT400	26cc StartEasy™ Petrol Hedge Trimmer 400W Electric Hedge Trimmer 500W Electric Hedge Trimmer 600W Electric Hedge Trimmer with HedgeSweep™ Electric Articulating Pole Hedge Trimmer		44 45 45 45 45
Range Sur	nmary & Accessories	46 -	- 47
Garden Tid	ly Up	48 -	- 55
Blowers/Va	acs, Log Splitter & Cultivators	50 -	- 53
RBV2800S RBV3000VP RBV26 RBL30MVB RBL30BPT RSH2455 RSH2400R ELS52 RCP1000	Electric Blower Vac with PowerMulching™ Variable Speed Electric Blower Vac with PowerMulching™ 26cc Petrol Blower Vac 30cc Petrol Mulching Blower Vac 30cc TouchStart™ Petrol Backpack Blower 2.400W Electric 'Quiet' Shredder/Mulcher 2.400W Electric Shredder/Mulcher 1.500W Electric Cultivator		51 51 52 52 52 53 53 53
Range Sun	nmary & Accessories	54 -	- 55

Pressure '	Washers	56 – 65
Electric P	ressure Washers	58 – 61
RPW100S RPW120S RPW120X RPW105DM RPW120HS RPW130HS RPW140HS RPW150HS	100bar Pressure Washer 120bar Pressure Washer 120bar Pressure Washer with Quick Connect Lance DualClean™ 2-In-1 Pressure Washer 120bar HydroSurge™ Pressure Washer 130bar HydroSurge™ Pressure Washer 140bar HydroSurge™ Pressure Washer 150bar HydroSurge™ Pressure Washer	59 59 59 60 60 60 61 61
Petrol Pre	ssure Washers	62 – 63
RPW2400 RPW2500WB	172bar Petrol Pressure Washer 3-in-1 Petrol Pressure Washer	63 63
Pressure '	Washer Accessories	64 – 65



Ryobi Technologies (UK) Limited

Medina House, Fieldhouse Lane, Marlow, Bucks, SL7 1TB

Tel: +44 (0) 1628 894 400 Fax: +44 (0) 1628 894 401 Email: Sales@tti-uk.com Web: www.ryobitools.eu www.ryobi-oneplus.co.uk

Technical helpline: +44 (0) 800 389 0305 For your nearest local service centre please contact customer services on: +44 (0) 1628 894 400

Dealer s	tamp
----------	------

Ryobi reserve the right to change images, specifications and prices without prior notice. The use of the trademark RYOBI® is pursuant to a license granted by Ryobi Limited. 5139000194